



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/507,461	09/10/2004	Eugene De Juan	SRM0045/US	6767
72870	7590	11/17/2008		
Kagan Binder, PLLC 221 Main Street North Suite 200 Stillwater, MN 55082			EXAMINER CARTER, KENDRA D	
			ART UNIT	PAPER NUMBER
			1617	
			MAIL DATE	DELIVERY MODE
			11/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/507,461	Applicant(s) DE JUAN ET AL.	
	Examiner KENDRA D. CARTER	Art Unit 1617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 September 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,8,11,20,27,30 and 58-64 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,8,11,20,27,30 and 58-64 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on September 5, 2008 has been entered.

The Examiner acknowledges the applicant's remarks and arguments of September 5, 2008 made to the office action filed April 30, 2008. Claims 1-6, 8, 11, 20, 27, 30 and 58-64 are pending. Claims 4 and 30 are amended.

For the reasons in the previous office action and below, the Applicant's arguments of the following rejections were found not persuasive, thus the rejections are upheld: 1) the 35 USC 102(b) rejection of claim 1 as being anticipated by Wong et al.; 2) the 35 USC 103(a) rejection of claims 1-4, 6, 7, 8, 11, 20, 27, 58-61, 63 and 64 as being unpatentable over Wong ('079), in view of Wong et al.; 2) the 35 USC 103(a) rejection of claims 5, 19 and 62 as being unpatentable over Wong ('079) in view of

Wong et al. ('984) as applied to claims 1-4, 6, 7, 8, 11, 20, 27, 58-61, 63 and 64 above in view of Hughes et al.; and 3) the 35 USC 103(a) rejection of claims 1, 8 and 11 as being unpatentable over Louis in view of Wong et al. ('079) in further view of Hughes et al.

Due to Applicant's arguments being not persuasive, the previous 35 U.S.C. 102(b) and 103(a) rejection are made below. The Applicant's arguments are addressed below.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Wong et al. (US 5,632,984; referred to as Wong'984).

Wong'984 teaches intraocular administration of drugs that concentrate the drug at the site of the disease and where biodegradable microcapsules are employed, providing continuous, long-lasting treatment (see abstract and column 3, lines 8-9). The

Art Unit: 1617

administration is into the posterior segment of the eye allowing diffusion of the drug throughout the vitreous within the posterior segment, and further into the entire retina, the choroid and the opposed sclera (i.e. instilling therapeutic medium sub-retinally; see column 4, lines 1-9; addresses claim 1). Administration may be achieved by injection in a saline solution (see column 7, lines 63-65 and column 9, lines 63-67).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 1617

(1) Claims 1-4, 6, 7, 8, 11, 20, 27, 58-61, 63 and 64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wong et al. (US 5,869,079) in view of Wong et al. (US 5,632,984; referred to as Wong'984).

Wong et al. teaches combinations of hydrophilic and hydrophobic entities in a biodegradable implants that provide controlled, sustained drug release for an extended period of time (see abstract in its entirety; addresses claims 27 and 64). Therapeutically active hydrophobic agents, which benefit from release include, non-steroidal anti-inflammatory drugs and steroids of particular interest including cortisone, prednisolone, dexamethasone, fluorometholone (see column 2, lines 63 and 64 to column 3, lines 1-5 and column 8, example 1, lines 23-25; addresses claims 3, 4, 60 and 61). The formulation of implants if for use in the treatment of ocular conditions, diseases, tumors and disorders are of particular interest (see column 6, lines 27-29). Implants are introduced into the suprachoroid may deliver drugs to the choroids and the anatomically apposed retina (i.e. localizing the action of the therapeutic medium at the choroids and the retina and minimizing action at other tissues of the eye and forming a depot of a drug between the choroids and the retina; see column 6, lines 38-40; addresses claims 2, 6, 8, 30 and 58). Suitable sites include the posterior chamber with a sub-retinal implantation (see column 6, lines 32, 33 and 61, and 62; addresses claims 1, 11, 20, 27, 58, 63 and 64). The implants may be administered by surgical means, injection or trocar (see column 7, lines 15 and 16; addresses claims 1 and 20). The implants may have the active agent homogenously distributed through the polymeric matrix, or

Art Unit: 1617

encapsulated, where a reservoir of active agent is encapsulated by the polymeric matrix (i.e. core comprising a biocompatible matrix and therapeutic medium; see column 5, lines 19-22; addresses claim 58). The selection of the polymeric composition to be employed will vary with the site of administration, the desired period of treatment, patient tolerance, the nature of the disease to be treated and the like. Characteristics of the polymers will include biodegradability at the site of implantation, compatibility with the agent of interest, ease of encapsulation and half-life in the physiological environment (see column 5, lines 27-33; addresses claim 58). Biodegradable polymeric compositions may be organic esters, ethers, anhydrides, amides, orthoesters or the like (see column 5, lines 38-53; addresses claim 58). Particles can be prepared where the center may be of one material and the surface have on or more layers of the same or different composition (i.e. jacket surrounding the core comprising a biocompatible membrane; see column 6, lines 15-17; addresses claim 58). Implants may be introduced over or into an avascular region. Surgically-induced avascular regions may be produced in an eye by methods known in the art. Thus, retinal displacement is inherently taught because the implants are surgically induced by sub-retinal implantation known in the art. It may be particularly desirable to produce such an avascular region over or near the desired site of treatment, particularly where the desired site of treatment is distant from the pars plana or placement of the implant at the pars plana is not possible. Introduction of implants over an avascular region will allow for diffusion of the drug from the implant and into the inner eye and avoids diffusion of the

Art Unit: 1617

drug into the bloodstream (i.e. localized retinal detachment; forming a sub-retinal space; see column 6, lines 43-56; addresses claims 11, 20 and 63).

Wong et al. does not specifically teach an injectable solution including the therapeutic medium (claim 1 and 20). Wong et al. also does not specifically teach the polymers polyacrylates, polyvinylidenes, polyvinyl chloride copolymers, polyurethanes, polystyrenes, polyamides, cellulose acetates, cellulose nitrates, polysulfones, polyphosphazenes, polyacrylonitriles, poly(acrylonitrile/covinyl chloride) derivatives, copolymers, and mixtures thereof (claim 58).

Wong'984 teaches intraocular administration of drugs that concentrate the drug at the site of the disease and where biodegradable microcapsules are employed, providing continuous, long-lasting treatment (see abstract and column 3, lines 8-9). Administration may be achieved by injection in a saline solution (see column 7, lines 63-65 and column 9, lines 63-67).

To one of ordinary skill in the art at the time of the invention would have found it obvious and motivated to combine the method of Wong et al. and suspending the microcapsules in a solution because Wong'938 teaches that the biodegradable microcapsules can be injected in a saline solution (see column 7, lines 63-65 and column 9, lines 63-67).

To one of ordinary skill in the art at the time of the invention would have found it obvious and motivated to combine the method of Wong et al. and the specific polymers disclosed in claim 58 because of the following teachings of Wong et al.: 1) the selection of the polymeric composition to be employed will vary with the site of administration, the desired period of treatment, patient tolerance, the nature of the disease to be treated and the like (see column 5, lines 27-33); 2) characteristics of the polymers will include biodegradability at the site of implantation, compatibility with the agent of interest, ease of encapsulation and half-life in the physiological environment (see column 5, lines 27-33); and 3) biodegradable polymeric compositions may be organic esters, ethers, anhydrides, amides, orthoesters or the like (see column 5, lines 38-53). Selection of a known material based on its suitability for its intended use is obvious absent a clear showing of unexpected results attributable to the Applicant's specific selection. See e.g., *In re Leshin*, 227 F.2d 197, 125 USPQ 416 (CCPA 1960).

(2) Claims 5, 19 and 62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wong et al. (US 5,869,079) in view of Wong et al. (US 5,632,984; referred to as Wong'984) as applied to claims 1-4, 6, 7, 8, 11, 20, 27, 58-61, 63 and 64 above in view of Hughes et al. (US 5,962,027).

The teachings of Wong et al. and Wong'984 are as applied to claims 1-4, 6, 7, 8, 11, 20, 27, 58-61, 63 and 64 above.

Wong et al. and Wong'984 do not teach a method to specifically treat the ocular diseases ocular neovascularization, ocular inflammation and retinal degeneration.

Hughes teaches surgical techniques, grafts, method for transplanting retinal cells (see abstract in its entirety) for treatment of for use in the reconstruction of a dystrophic retina (see column 2, lines 57-59) such as retinal degeneration (see column 15, example 2, line 37; addresses claims 5 and 19). An instrument is used to detach the retina and then the graft comprising a photoreceptor layer attached to the gelatin substrate is inserted with a tube that comprises a plunger (i.e. injection; see figure 10) into the sub-retinal space to the posterior of the eye (see column 11, lines 62-67 to column 12, lines 1-2). The gelatin serves as a carrier for a number of trophic agents including dexamethasone (see column 7, lines 5-8). Upon dissolution of the substrate, the factor or agent becomes available to impart the desired effect upon the surrounding tissue. The substrate may contain biodegradable polymers to act as slow release agents for pharmacologic substances (see column 7, lines 10-16).

To one of ordinary skill in the art at the time of the invention would have found it obvious and motivated to combine the method of Wong et al. in view of Wong'498 and the specific ocular diseases ocular neovascularization, ocular inflammation and retinal degeneration because of the following teachings: (1) Wong et al. teaches of implants for use in the treatment of ocular conditions, diseases, tumors and disorders (see

Art Unit: 1617

column 6, lines 27-29); (2) ocular neovascularization, ocular inflammation and retinal degeneration are all ocular diseases; (3) Hughes et al. teaches grafts comprising drugs such as dexamethasone for treatment of for use in the reconstruction of a dystrophic retina (see column 2, lines 57-59; column 7, lines 5-8; and see column 11, lines 62-67 to column 12, lines 1-2) such as retinal degeneration (see column 15, example 2, line 37). Thus, implants are known in the art to treat ocular diseases such as ocular neovascularization and retinal degeneration.

(3) Claims 1, 8 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Louis (US 5,641,750) in view of Wong et al. (US 5,869,079) in further view of Hughes et al. (US 5,962,027).

Louis teaches a method for treating injury or degeneration of retinal neurons, particularly photoreceptors, by administering glial cell line-derived neurotrophic factor, GDNF (see title and abstract, lines 1-4). The protein product may be administered intraocularly by ocular injection (see column 4, line 66 and column 5, line 15 and claim 18; addresses claim 1). Intraocular systems are those systems which are suitable for use in any tissue compartment within, between or around the tissue layers of the eye itself (i.e. sub-retinally; between the choroid and the retina; see column 18, lines 39-41; addresses claims 1 and 8). A particularly suitable vehicle for intraocular injection is sterile distilled water in which the GDNF protein product is formulated as a sterile, isotonic solution, properly preserved. Yet another ophthalmic preparation may involve

Art Unit: 1617

the formulation of the GDNF protein product with an agent, such as injectable microspheres or liposomes, that provides for the slow or sustained release of the protein which may then be delivered as a depot injection (addresses claim 1). Other suitable means for the intraocular introduction of GDNF protein product includes, implantable drug delivery devices or which contain the GDNF protein product (see column 19, lines 9-19).

Louis does not teach does not teach administration to the posterior segment of the eye by instilling the therapeutic medium sub-retinally between the choroids and the retina. A localized retinal detachment to define the sub-retinal space and disposing the therapeutic medium that space is in taught.

Wong et al. teaches a combinations of hydrophilic and hydrophobic entities in a biodegradable implants that provide controlled, sustained drug release for an extended period of time (see abstract in its entirety; addresses claims 10, 14-16, 27 and 28). Therapeutically active hydrophobic agents, which benefit from release include, non-steroidal anti-inflammatory drugs and steroids of particular interest including cortisone, prednisolone, dexamethasone, fluorometholone (see column 2, lines 63 and 64 to column 3, lines 1-5 and column 8, example 1, lines 23-25; addresses claims 3, 4, 17, 18, 29, and 45). The formulation of implants if for use in the treatment of ocular conditions, diseases, tumors and disorders are of particular interest (see column 6, lines 27-29). Implants are introduced into the suprachoroid may deliver drugs to the choroids

and the anatomically apposed retina (i.e. localizing the action of the therapeutic medium at the choroids and the retina and minimizing action at other tissues of the eye and forming a depot of a drug between the choroids and the retina; see column 6, lines 38-40; addresses claims 2, 6, 8, 30 and 46). Suitable sites include the posterior chamber with a sub-retinal implantation (see column 6, lines 32, 33 and 61, and 62; addresses claims 1, 7, 10, 11, 12, 14, 16, 20, 25, 26-29, 45 and 46). The implants may be administered by surgical means (i.e. retinal displacement), injection or trocar (see column 7, lines 15 and 16; addresses claims 7 and 12). Implants may be introduced over or into an avascular region. Surgically-induced avascular regions may be produced in an eye by methods known in the art. It may be particularly desirable to produce such an avascular region over or near the desired site of treatment, particularly where the desired site of treatment is distant from the pars plana or placement of the implant at the pars plana is not possible. Introduction of implants over an avascular region will allow for diffusion of the drug from the implant and into the inner eye and avoids diffusion of the drug into the bloodstream (i.e. localized retinal detachment; see column 6, lines 43-56; addresses claims 11, 12, and 14).

Hughes teaches surgical techniques, grafts, method for transplanting retinal cells (see abstract in its entirety) for treatment of for use in the reconstruction of a dystrophic retina (see column 2, lines 57-59) such as retinal degeneration (see column 15, example 2, line 37; addresses claims 5 and 19). An instrument is used to detach the retina and then the graft comprising a photoreceptor layer attached to the gelatin

Art Unit: 1617

substrate is inserted with a tube that comprises a plunger (i.e. injection; see figure 10) into the sub-retinal space to the posterior of the eye (see column 11, lines 62-67 to column 12, lines 1-2; addresses claims 1, 3, 7, 9, 11, 12, 20, 25, 26 and 29).

To one of ordinary skill in the art at the time of the invention would have found it obvious and motivated to combine the method of Louis and administration to the posterior segment of the eye by instilling the therapeutic medium sub-retinally between the choroids and the retina, and further to a localized retinal detachment to define the sub-retinal space because of the following teachings: (1) Louis teaches a method for treating injury or degeneration of retinal neurons, particularly photoreceptors administered via intraocular injection, which is for use in any tissue compartment within, between or around the tissue layers of the eye itself (see column 4, line 66; column 5, line 15; claim 18; and column 18, lines 39-41); (2) Louis also teaches the method can be administered by injectable microspheres or liposomes, that provides for the slow or sustained release of the protein which may then be delivered as a depot injection, or implantable drug delivery devices which contain the GDNF protein product (see column 19, lines 9-19); and (3) Wong et al. teaches formulation of implants for use in the treatment of ocular conditions, diseases, tumors and disorders (see column 6, lines 27-29), wherein the implants are introduced into the suprachoroid to deliver drugs to the choroids and the anatomically apposed retina (i.e. localizing the action of the therapeutic medium at the choroids and the retina and minimizing action at other tissues of the eye and forming a depot of a drug between the choroids and the retina; see

Art Unit: 1617

column 6, lines 38-40); (4) Wong et al. also teaches that suitable sites include the posterior chamber with a sub-retinal implantation (see column 6, lines 32, 33 and 61, and 62), wherein the implants may be administered by surgical means (i.e. localized retinal detachment), injection or trocar (see column 7, lines 15 and 16); and (5) Hughes et al. teaches an instrument that is used to detach the retina and then a graft comprising a photoreceptor layer attached to the gelatin substrate is inserted with a tube that comprises a plunger (i.e. injection; see figure 10) into the sub-retinal space to the posterior of the eye (see column 11, lines 62-67 to column 12, lines 1-2) for the treatment of as retinal degeneration (see column 15, example 2, line 37). Thus, one skilled in the art would be motivated to combine the method of Louis and the administration of the therapy to the particular region of the eye and by a localized retinal detachment because implant injections have been successfully used to treat ocular diseases and disorders in this manner as shown by Wong et al. and Hughes et al.

Response to Arguments

Applicant's arguments have been fully considered but they are not persuasive.

Applicant argues that Wong does not expressly or inherently teach claim 1. Rather, Wong '984 is concerned with the introduction of a drug into the posterior segment of the eye into the vitreous. Since Wong '984 does not teach or suggest instilling a therapeutic medium sub-retinally, Wong '984 does not anticipate claim 1.

Art Unit: 1617

The Examiner disagrees because Wong'984 teaches that the administration is into the posterior segment of the eye allowing diffusion of the drug throughout the vitreous within the posterior segment, and further into the entire retina, the choroid and the opposed sclera (i.e. instilling therapeutic medium sub-retinally; see column 4, lines 1-9).

Applicant argues that Wong '079 does not teach or suggest the instilling a therapeutic medium sub-retinally; wherein the step of instilling comprises injecting a solution including the therapeutic medium in the sub-retinal space. Contrary to the position taken in the Office Action, there is no motivation for one of skill in the art to modify Wong '079 using the teachings of Wong'984 because to do so would be in direct contradiction to the teachings of Wong'079, including the advantages of utilizing a solid implant comprising a hydrophilic and hydrophobic entity to control elution rate; and the further ability to control the elution rate of release, period of treatment, and drug concentration by varying the size and form of the implant. Neither Wong'079 nor Wong'984 teach or suggest the use of an implant having the structure as set forth in claim 58 including a core comprising a biocompatible polymer and a therapeutic medium; and a jacket surrounding said core comprising a biocompatible membrane comprising a polymer selected from those listed in claim 58.

The Examiner disagrees because Wong '984 is used as a reference to teach that therapeutic mediums such as those taught by Wong'079 can be administered via intraocular injection with a saline solution. Wong'079 provides the teaching that the therapeutic medium can be administered sub-retinally as discussed above. The motivation to combine the Wong'984 and Wong'079 references is because both teach intraocular administration with biodegradable microcapsules. Thus, the biodegradable microcapsules of Wong'079 can be administered in a saline solution because Wong'984 teaches that it is known in the art for biodegradable microcapsules to be administered

by injection in a saline solution (see abstract, column 3, lines 8-9; column 7, lines 63-65 and column 9, lines 63-67).

In regards to claim 58, one of ordinary skill in the art at the time of the invention would have found it obvious and motivated to combine the method of Wong'079 and the specific polymers disclosed in claim 58 because of the following teachings of Wong'079: 1) the selection of the polymeric composition to be employed will vary with the site of administration, the desired period of treatment, patient tolerance, the nature of the disease to be treated and the like (see column 5, lines 27-33); 2) characteristics of the polymers will include biodegradability at the site of implantation, compatibility with the agent of interest, ease of encapsulation and half-life in the physiological environment (see column 5, lines 27-33); and 3) biodegradable polymeric compositions may be organic esters, ethers, anhydrides, amides, orthoesters or the like (see column 5, lines 38-53). Selection of a known material based on its suitability for its intended use is obvious absent a clear showing of unexpected results attributable to the Applicant's specific selection. See e.g., *In re Leshin*, 227 F.2d 197, 125 USPQ 416 (CCPA 1960).

Further, Wong'079 teaches that the implants may have the active agent homogeneously distributed through the polymeric matrix, or encapsulated, where a reservoir of active agent is encapsulated by the polymeric matrix (i.e. core comprising a biocompatible matrix and therapeutic medium; see column 5, lines 19-22). The particles can be prepared where the center may be of one material and the surface have on or more layers of the same or different composition (i.e. jacket surrounding the

Art Unit: 1617

core comprising a biocompatible membrane; see column 6, lines 15-17). Thus, Wong'079 addresses the limitations of claim 58.

Applicant argues that Louis does not teach administration to the posterior segment of the eye by instilling a therapeutic medium sub-retinally, and Wong and/or Hughes does not cure this deficiency. Wong et al. does not teach or suggest injecting a solution and Hughes relates to a method for the preparation of a graft for transplantation into the subretinal area of a host eye. There is no motivation to combine the teachings of Louis with Wong et al. or Hughes.

As stated in the previous action, the Examiner disagrees because Louis teaches a solution of a therapeutic medium for treating injury or degeneration of retinal neurons applied to the eye via injection or inserts (see column 4, line 66 and column 5, line 15; column 19, lines 9-19 and claim 18). Louis also teaches that the photoreceptors administered via intraocular injection, which is for use in any tissue compartment within, between or around the tissue layers of the eye itself (see column 4, line 66; column 5, line 15; claim 18; and column 18, lines 39-41). The teachings of Wong and Hughes provide teaching of different ways to implant or inject therapeutic mediums as known in the art. Wong et al. also teaches that suitable sites include the posterior chamber with a sub-retinal implantation (see column 6, lines 32, 33 and 61, and 62), wherein the implants may be administered by surgical means (i.e. localized retinal detachment), injection or trocar (see column 7, lines 15 and 16); and (5) Hughes et al. teaches an instrument that is used to detach the retina and then a graft comprising a photoreceptor layer attached to the gelatin substrate is inserted with a tube that comprises a plunger

Art Unit: 1617

(i.e. injection; see figure 10) into the sub-retinal space to the posterior of the eye (see column 11, lines 62-67 to column 12, lines 1-2) for the treatment of as retinal degeneration (see column 15, example 2, line 37). Thus, one skilled in the art would be motivated to combine the method of Louis and the administration of the therapy to the particular region of the eye and by a localized retinal detachment because implant injections have been successfully used to treat ocular diseases and disorders in this manner as shown by Wong et al. and Hughes et al.

Conclusion

No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KENDRA D. CARTER whose telephone number is (571)272-9034. The examiner can normally be reached on 7:30 am - 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreeni Padmanabhan can be reached on (571) 272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/K. D. C./
Examiner, Art Unit 1617

/Shengjun Wang/

Primary Examiner, Art Unit 1617